Accessories we sell (sold separately)

What you need to prepare · https://manual.amnimo.com/en/docs/what-you-need-to-prepare-en-2/accessories-we-sell-sold-separately/



When configured as described in this manual, the following optional accessories must be provided.


CAUTION

Optional items are not included in the warranty coverage of the compact router.



- Please refer to the Compact Router User's Manual for specifications and standards.


Compact router indoor version (AC10)

name of product	figure	Part Number	Specifications and Remarks
AC adapter (DC12V/1A)		M7901YL	DC12V/1A 1 piece
rod antenna		M7901YD	For 3G/LTE/WiMAX 2 pcs.
External antenna (2.5m)		M7901YE	Coaxial cable length 2.5 m (gray) Antenna section with magnet 2 pcs.


name of product	figure	Part Number	Specifications and Remarks
External antenna (5m)		M7901ZL	Coaxial cable length 5m (black) Antenna section with magnet 2 pcs.
DC power cable		M7901YM	Power connector one end untreated 1 pc




Compact router with wireless LAN indoor version (AC15)




name of product	figure	Part Number	Specifications and Remarks
AC adapter (DC12V/1A)		M7901YL	DC12V/1A 1 piece
rod antenna		M7901YD	For 3G/LTE/WiMAX 2 pcs.
External antenna (2.5m)		M7901YE	Coaxial cable length 2.5 m (gray) Antenna section with magnet 2 pcs.

name of product	figure	Part Number	Specifications and Remarks
External antenna (5m)		M7901ZL	Coaxial cable length 5m (black) Antenna section with magnet 2 pcs.
DC power cable		M7901YM	Power connector one end untreated 1 pc

Compact router with wireless LAN outdoor version (AC25)

name of product	figure	Part Number	Specifications and Remarks
Rainproof AC cable		M7901YV	5m with round crimp terminal OD 9.15mm 1 pc
Cable gland (for Ether cable)		M7901YQ	Applicable wire diameter 6 to 10 mm 1 piece
Cable gland (for power cable)		M7901YR	Applicable wire diameter 8-14mm 1 piece

name of product	figure	Part Number	Specifications and Remarks
Cable gland (for Ether cable)		M7901YY	Applicable wire diameter 4 to 6.6mm 1 piece
Cable gland (for 2 Ether cables)		M7901YZ	Applicable wire diameter 4.3 to 6.1mm 1 piece
Wall Mounting Bracket		M7901ZE	Made of stainless steel 4 pcs. of body 4 pcs. of accessory mounting screws
Ball Mounting Bracket		M7901ZD	Made of stainless steel Compatible pole/con pillar diameter 60-400 mm 2 pcs. of body 4 pcs. of attached mounting screws
Ball Mounting Band		M7901YU	Stainless steel Applicable pole/con pillar diameter 60-400 mm 2 pcs.

name of product	figure	Part Number	Specifications and Remarks
Single pipe mounting Hardware set		M7901ZF	Compatible single pipe diameter 42.7-48.6 mm 2 single pipe mounting brackets 4 accessory mounting screws 2 single pipe clamps
Camera mounting bracket set		M7901ZG	Stainless steel Separate type 1 base bracket 1 camera bracket 4 accessory mounting screws
		M7901ZH	Stainless steel Integrated type 1 camera bracket 4 accessory mounting screws

NOTE

For PF pipe connectors, Furukawa Electric's PFS-16BKSR-1 (waterproof PF pipe connector IPX5), Mirai Kogyo's FPK-16YPS (waterproof PF pipe connector IPX7) and similar products are available.